



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/697,804

10/31/2003

Scott K. Brown

06975-450001

1159

26171 7590 05/30/2008

FISH & RICHARDSON P.C.

P.O. BOX 1022

MINNEAPOLIS, MN 55440-1022

EXAMINER

SWEARINGEN, JEFFREY R

ART UNIT

PAPER NUMBER

2145

MAIL DATE

DELIVERY MODE

05/30/2008

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.



UNITED STATES DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office

Address : COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
10697804	10/31/03	BROWN ET AL.	06975-450001

FISH & RICHARDSON P.C.  
P.O. BOX 1022  
MINNEAPOLIS, MN 55440-1022

EXAMINER

Jeffrey R.. Swearingen

ART UNIT	PAPER
2145	20080527

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

1. The reply filed on 2/4/2008 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s): The Office is unable to ascertain who signed the reply. See 37 CFR 1.111. Since the above-mentioned reply appears to be *bona fide*, applicant is given **ONE (1) MONTH or THIRTY (30) DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

/Jason D Cardone/  
Supervisory Patent Examiner, Art Unit 2145

/Jeffrey R. Swearingen/  
Examiner, Art Unit 2145